

## Mapping Bibliography

Search Keyed to 30X60'

Panguitch

Tuesday, December 31, 2002

### Ref#

- 802 Anderson, J.J., 1965, Geology of northern Markagunt Plateau, Utah, Austin, University of Texas Ph.D. dissertation 194 p.. Scale: 63360  
Latitude: N: 380500 S: 375230 Longitude: W 1124500 E: 1122100
- 1399 Anderson, J.J., 1971, Geology of the southwestern high plateaus of Utah; Bear Valley Formation, an Oligocene-Miocene volcanic arenite, Geological Society of America Bulletin v. 82, p. 1179-1205, fig. 2. Scale: 135000  
Latitude: N: 380330 S: 374200 Longitude: W 1124500 E: 1122100
- 2192 Anderson, J.J.; Iivari, T.A.; Rowley, P.D., 1986, Geologic map of the Little Creek Peak quadrangle, Garfield and Iron Counties, Utah, Utah Geological and Mineral Survey Open-File Report 91, 33 p.. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1123730 E: 1123000
- 1457 Anderson, J.J.; Iivari, T.A.; Rowley, P.D., 1987, Geologic map of the Little Creek Peak quadrangle, Garfield and Iron Counties, Utah, Utah Geological and Mineral Survey Map 104, 11 p., pl. 1. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1123730 E: 1123000
- 2193 Anderson, J.J.; Rowley, P.D., 1986, Geologic map of the Panguitch NW quadrangle, Iron and Garfield Counties, Utah, Utah Geological and Mineral Survey Open-File Report 92, 24 p.. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1123000 E: 1122230
- 1438 Anderson, J.J.; Rowley, P.D., 1987, Geologic map of the Panguitch NW quadrangle, Iron and Garfield Counties, Utah, Utah Geological and Mineral Survey Map 103, 8 p., pl. 1. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1123000 E: 1122230
- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 1984 Bell, Henry, III; Bush, A.L.; Turner, R.L.; Cady, J.W.; Brown, S.D.; Hannigan, B.J.; Thompson, J.R., 1990, Mineral resources of the Paria-Hackberry wilderness study area, Kane County, Utah, U.S. Geological Survey Open-File Report OF 90-0453. Scale: 100000  
Latitude: N: 373245 S: 370730 Longitude: W 1121500 E: 1114500
- 1997 Bowers, W.E., 1991, Geologic Map of Bryce Canyon National Park and vicinity, southwestern Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2108. Scale: 24000  
Latitude: N: 374500 S: 372730 Longitude: W 1121730 E: 1120500
- 699 Brox, G.S., 1961, Geology and erosional development of northern Bryce Canyon National Park, Salt Lake City, University of Utah M.S. thesis 77 p.. Scale: 31680  
Latitude: N: 374200 S: 373500 Longitude: W 1121115 E: 1120500
- 1832 Carpenter, C.H.; Robinson, G.B., Jr.; Bjorklund, L.J., 1967, Ground-water conditions and geologic reconnaissance of the upper Sevier River basin, Utah, U.S. Geological Survey Water Supply Paper W-1836, 91 p., pl. 1. Scale: 250000  
Latitude: N: 384600 S: 372300 Longitude: W 1125400 E: 1114300



Ref#

558 Cashion, W.B., 1961, Geology and fuel resources of the Orderville-Glendale area, Kane County, Utah, U.S.

Geological Survey Coal Investigations Map C-49. Scale: 62500  
Latitude: N: 373230 S: 371430 Longitude: W 1125400 E: 1122315

2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54.

Scale: 750000  
Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000

1340 Cook, E.F., 1960, Geologic atlas of Utah, Washington County, Utah Geological and Mineralogical Survey Bulletin 70, 119 p.. Scale: 125000  
Latitude: N: 373600 S: 370000 Longitude: W 1140000 E: 1125400

2324 Cordova, R.M., 1981, Ground-water conditions in the upper Virgin River and Kanab Creek basins area, Utah,

Utah Department of Natural Resources Technical Publication 70, 87 p., pl. 3. Scale: 250000  
Latitude: N: 373600 S: 370000 Longitude: W 1131800 E: 1120730

1291 Doelling, H.H., 1970, Geologic map of the Adams Head 1 [Adams Head, Cow Creek, Flake Mountain West and

Flake Mountain East] quadrangle, Utah, Utah Geological and Mineralogical Survey unpublished map .  
Scale: 31680  
Latitude: N: 380000 S: 374500 Longitude: W 1121500 E: 1120000

1345 Doelling, H.H., 1975, Geology and mineral resources of Garfield County, Utah, Utah Geological and Mineral

Survey Bulletin 107, 175 p., pl. 1. Scale: 250000  
Latitude: N: 380900 S: 372700 Longitude: W 1124030 E: 1095500

1537 Doelling, H.H.; compiler, 1968, Geologic map of the Panguitch area, Garfield and Iron Counties, Utah, Utah

Geological and Mineralogical Survey unpublished map . Scale: 31680  
Latitude: N: 380000 S: 374500 Longitude: W 1123000 E: 1121500

829 Doelling, H.H.; Davis, F.D.; Brandt, C.J., 1989, The geology of Kane County, Utah -Geology, Mineral Resources, Geologic Hazards, Utah Geological and Mineral Survey Bulletin 124, 192 p., plates 8, 9, and

10

[also released as UGMS Map 121]. Scale: 100000  
Latitude: N: 373500 S: 370000 Longitude: W 1125400 E: 1103800

1693 Doelling, H.H.; Davis, F.D.; Brandt, C.J., 1989, The geology of Kane County, Utah, Utah Geological and Mineral

Survey Bulletin 124, 192 p., pl. 5, 6 and 7 [also released as UGMS map 121]. Scale: 100000  
Latitude: N: 373500 S: 370000 Longitude: W 1125400 E: 1103800

1560 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Southwestern Utah coal fields Coal

and geology map, Bryce Point quadrangle, Utah Geological and Mineralogical Survey Monograph 1, p. 38-39.  
Scale: 42240  
Latitude: N: 373730 S: 373000 Longitude: W 1121500 E: 1120730

1562 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Southwestern Utah coal fields Coal

and geology map, Cannonville quadrangle, Utah Geological and Mineralogical Survey Monograph 1, p. 44-45.

Scale: 42240

Latitude: N: 373730 S: 373000

Longitude: W 1120730 E: 1120000

1594 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Southwestern Utah coal fields  
Coal

and geology map, Coal Creek [Cedar City, Cedar Mountain, Flanigan Arch, and Webster Flat] quadrangle,  
Utah

Geological and Mineralogical Survey Monograph 1, p. 298-299.

Scale: 42240

Latitude: N: 374200 S: 373500

Longitude: W 1130300 E: 1125530

Ref#

- 1596 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Southwestern Utah coal fields Coal and geology map, Orderville Canyon NW [Webster Flat] quadrangle, Utah Geological and Mineralogical Survey Monograph 1, p. 306-307. Scale: 42240  
Latitude: N: 373730 S: 373000 Longitude: W 1130000 E: 1125230
- 1591 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Southwestern Utah coal fields Coal and geology map, Tropic Canyon quadrangle, Utah Geological and Mineralogical Survey Monograph 1, p. 240-241. Scale: 42240  
Latitude: N: 374500 S: 373730 Longitude: W 1120730 E: 1120000
- 2495 Doelling, H.H.; Willis, G.C., 1999, Interim geologic map of the SE part of the Panguitch 30'x60' quadrangle, Garfield and Kane Counties, Utah, Utah Geological Survey Open-File Report 367, 7p., pl. 1.  
Scale: 100000  
Latitude: N: 374500 S: 373000 Longitude: W 1121500 E: 1120000
- 1342 Eardley, A.J.; Cohenour, R.E., 1963, Coal resources of the Antimony-Johns Valley area, Garfield County, Utah, Utah Geological and Mineralogical Survey Report to the Utah State Land Board 15 p..  
Scale: 125000  
Latitude: N: 380830 S: 374630 Longitude: W 1121500 E: 1115100
- 1978 Eppinger, R.G.; Winkler, G.R.; Cookro, T.M.; Shubat, M.A.; Blank, H.R., Jr.; Crowley, J.K.; Kucks, R.P.; Jones, J.L., 1990, Preliminary assessment of the mineral resources of the Cedar City 1° x 2° quadrangle, Utah, U.S. Geological Survey Open-File Report OF 90-034, 146 p., pl. 1. Scale: 250000  
Latitude: N: 380000 S: 370000 Longitude: W 1140000 E: 1120000
- 2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations Field Studies Map MF-16. Scale: 500000  
Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000
- 1707 Gardner, L.S., 1952, in Thune, H.W., editor, Cedar City, Utah, to Las Vegas, Nevada The Hurricane fault, Intermountain Association of Petroleum Geologists Guidebook to the Geology of Utah no. 7, p. 15-21, pl. 1.  
Scale: 170000  
Latitude: N: 374225 S: 365500 Longitude: W 1133000 E: 1125730
- 1095 Grant, T.C.; Anderson, J.J., 1979, Geology of the Spry intrusion, Garfield County, Utah, Utah Geological and Mineral Survey Utah Geology v. 6, no. 2, p. 5-24, fig. 3. Scale: 53000  
Latitude: N: 380600 S: 375930 Longitude: W 1122515 E: 1121830
- 1737 Gregory, H.E., 1939, in Gregory, H.E., A geologic sketch of Zion National Park, Utah Geologic map of the Zion Park region, Zion Natural History Association 36 p.. Scale: 250000  
Latitude: N: 373320 S: 370940 Longitude: W 1132000 E: 1124130
- 1175 Gregory, H.E., 1949, Geologic and geographic reconnaissance of eastern Markagunt Plateau, Utah, Geological Society of America Bulletin v. 60, p. 969-998, pl. 1. Scale: 63360  
Latitude: N: 375000 S: 372730 Longitude: W 1124115 E: 1122400

1121 Gregory, H.E., 1950, Geology and geography of the Zion Park region, Utah and Arizona, U.S. Geological Survey Professional Paper 220, 200 p., pl.2. Scale: 125000  
Latitude: N: 373730 S: 370000 Longitude: W 1132000 E: 1122230

30 Gregory, H.E., 1950, Geology of eastern Iron County, Utah, Utah Geological and Mineralogical Survey Bulletin

37, 153 p., pl. 2. Scale: 63360  
Latitude: N: 375330 S: 372700 Longitude: W 1131300 E: 1124115

Ref#

- 1034 Gregory, H.E., 1950, Reconnaissance geologic map of eastern Iron County, Utah, Utah Geological and Mineralogical Survey Map 1, pl. 2. Scale: 63360  
Latitude: N: 375300 S: 372730 Longitude: W 1131200 E: 1124000
- 34 Gregory, H.E., 1951, Geology and geography of the Paunsaugunt region, Utah, U.S. Geological Survey Professional Paper 226, 116 p., pl. 1. Scale: 62500  
Latitude: N: 374630 S: 370900 Longitude: W 1122900 E: 1120100
- 2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000  
Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000
- 2044 Hereford, Richard, 1988, Geology of the Cannonville quadrangle, Kane and Garfield Counties, Utah, Utah Geological and Mineral Survey Open-File Report 142, 17 p.. Scale: 24000  
Latitude: N: 373730 S: 373000 Longitude: W 1120730 E: 1120000
- 842 Hintze, L.F., 1963, Geologic map of Utah (southwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000  
Latitude: N: 392230 S: 370000 Longitude: W 1140300 E: 1113730
- 1430 Hintze, L.F., 1963, in Heylmuñ, E.B., editor, Guidebook to the geology of southwestern Utah - Transition between Basin-Range and Colorado Plateau provinces Lower Paleozoic of southwestern Utah, Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, 232 p.. Scale: 250000  
Latitude: N: 393000 S: 370000 Longitude: W 1140200 E: 1113500
- 827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000
- 1515 Hornbacher, Dwight, 1985, Geology and structure of Kodachrome Basin State Reserve and vicinity, Kane and Garfield Counties, Utah, Loma Linda, California, Loma Linda University M.S. thesis 179 p., pl. 2. Scale: 12000  
Latitude: N: 373330 S: 373000 Longitude: W 1120330 E: 1115630
- 1378 Ivari, T.A., 1979, Cenozoic geologic evolution of the east-central Markagunt Plateau, Utah, Kent, Ohio, Kent State University M.S. thesis pl. 1. Scale: 62500  
Latitude: N: 375330 S: 374130 Longitude: W 1124500 E: 1122500
- 2438 Johnson, W.D., 1984, Map showing outcrops of thick, dominantly argillaceous sedimentary and metasedimentary rocks, Basin and Range Province, Utah, U.S. Geological Survey Water Resources Investigations Report WRI-83-4122-E. Scale: 500000  
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1120000
- 931 Judy, J.R., 1974, Cenozoic stratigraphic and structural evolution of the west-central Markagunt Plateau, Utah, Kent, Ohio, Kent State University M.S. thesis fig. 2. Scale: 63360  
Latitude: N: 374530 S: 374100 Longitude: W 1125030 E: 1123730



Ref#

- 2144 Kurlich, R.A., III, 1990, Geology of the Hatch quadrangle, Garfield County, southwestern Utah, Kent, Ohio,  
Kent State University M.S. thesis 104 p.. Scale: 24000  
Latitude: N: 374500 S: 373730 Longitude: W 1123000 E: 1122230
- 2023 Kurlich, R.A.; Anderson, J.J., 1992, Geologic map of the Hatch quadrangle, Garfield County, Utah, Utah Geological Survey Open-File Report 244, 57 p.. Scale: 24000  
Latitude: N: 374500 S: 373730 Longitude: W 1123000 E: 1122230
- 2502 Kurlich, R.H., III; Anderson, J.J., 1997, Geologic map of the Hatch quadrangle, Garfield County, Utah, Utah Geological Survey Miscellaneous Publication 97-5, 17 p., pl. 1. Scale: 24000  
Latitude: N: 374500 S: 373730 Longitude: W 1123000 E: 1122230
- 939 Lovejoy, E.M.P., 1964, The Hurricane fault zone and the Cedar Pocket-Shebit-Gunlock fault complex, southwestern Utah and northwestern Arizona, Tucson, University of Arizona Ph.D. dissertation 195 p., fig. 2. Scale: 125000  
Latitude: N: 374200 S: 365500 Longitude: W 1132500 E: 1125830
- 2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000  
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000
- 2140 Maldonado, Florian; Moore, R.C., 1993, Preliminary geologic map of the Parowan quadrangle, Iron County, Utah, U.S. Geological Survey Open-File Report OF 93-3. Scale: 24000  
Latitude: N: 375230 S: 374500 Longitude: W 1125230 E: 1124500
- 1994 Maldonado, Florian; Williams, V.S., 1991, Geologic map of the Paragonah quadrangle, Iron County, Utah, U.S. Geological Survey Open-File Report OF 90-494, pl. 1. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1125230 E: 1124500
- 1995 Maldonado, Florian; Williams, V.S., 1991, Geologic map of the Parowan Gap quadrangle, Iron County, Utah, U.S. Geological Survey Open-File Report OF 90-495. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1130000 E: 1125230
- 2156 Maldonado, Florian; Williams, V.S., 1993, Geologic map of the Paragonah quadrangle, Iron County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1713. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1125230 E: 1124500
- 2157 Maldonado, Florian; Williams, V.S., 1993, Geologic map of the Parowan Gap quadrangle, Iron County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1712. Scale: 24000  
Latitude: N: 380000 S: 375230 Longitude: W 1130000 E: 1125230
- 907 Moore, D.W.; Nealey, L.D., 1993, Preliminary geologic map of the Navajo Lake quadrangle, Kane and Iron Counties, Utah, U.S. Geological Survey Open-File Report OF 93-190. Scale: 24000  
Latitude: N: 373730 S: 373000 Longitude: W 1125230 E: 1124500
- 2247 Moore, D.W.; Nealey, L.D.; Sable, E.G., 1994, Preliminary report, measured sections, and map of the geology of the Asay Bench quadrangle, Garfield and Kane Counties, Utah, U.S. Geological Survey Open-File Report

OF 94-10. Scale: 24000

Latitude: N: 373730 S: 373000

Longitude: W 1123730 E: 1123000

2299 Moore, D.W.; Straub, A.W., 1995, Preliminary geologic map of the Panguitch quadrangle, Garfield County,

Utah, U.S. Geological Survey Open-File Report OF 95-9, 13 p.. Scale: 24000

Latitude: N: 375230 S: 374500

Longitude: W 1123000 E: 1122230

Ref#

- 1254 Robison, R.A., 1966, Geology and coal resources of the Tropic area, Garfield County, Utah, Utah Geological and Mineralogical Survey Special Studies 18, 47 p., pl. 1. Scale: 49000  
Latitude: N: 374500 S: 373230 Longitude: W 1120700 E: 1115230
- 1447 Rowley, P.D.; Hereford, Richard; Williams, V.S., 1987, Geologic map of the Adams Head-Johns Valley area, southern Sevier Plateau, Garfield County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1798. Scale: 50000  
Latitude: N: 380000 S: 374500 Longitude: W 1121500 E: 1120000
- 2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000  
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 873 Thomas, H.E., 1947, Geology of Cedar City and Parowan Valleys, Iron County, Utah, Chicago, Illinois, University of Chicago Ph.D. dissertation . Scale: 63360  
Latitude: N: 380330 S: 373130 Longitude: W 1131500 E: 1123900
- 1425 Thomas, H.E.; Taylor, G.H., 1946, Geology and ground-water resources of Cedar City and Parowan Valleys, Iron County, Utah, U.S. Geological Survey Water Supply Paper W-993, 210 p., pl. 3. Scale: 63360  
Latitude: N: 380330 S: 373130 Longitude: W 1131500 E: 1123900
- 727 Threet, R.L., 1952, Geology of the Red Hills area, Iron County, Utah, Seattle, University of Washington Ph.D. dissertation 107 p.. Scale: 62500  
Latitude: N: 380200 S: 374600 Longitude: W 1130200 E: 1124830
- 1710 Threet, R.L., 1952, in Heylmun, E.B., editor, Guidebook to the geology of southwestern Utah--transition between Basin-Range and Colorado Plateau provinces Detailed geologic map of Parowan Gap and vicinity, Iron County, Utah, Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, p. 136-145, fig. 2. Scale: 44000  
Latitude: N: 375500 S: 375000 Longitude: W 1130500 E: 1125500
- 1709 Threet, R.L., 1963, in Heylmun, E.B., editor, Guidebook to the geology of southwestern Utah--transition between Basin-Range and Colorado Plateau provinces Geologic map of the Parowan Gap area (Red Hills area), Iron County, Utah, Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, p. 136-145, fig. 1. Scale: 100000  
Latitude: N: 380500 S: 374500 Longitude: W 1130500 E: 1124800
- 1772 Wells, L.F.; compiler, 1952, in Thune, H.W., editor, Cedar City, Utah, to Las Vegas, Nevada General geology the corners area, Arizona-Nevada-Utah, Intermountain Association of Petroleum Geologists Guidebook Seventh Annual Field Conference, 165 p., pl. 1. Scale: 500000  
Latitude: N: 374230 S: 353400 Longitude: W 1153000 E: 1123000
- 75 Wilson, M.T.; Thomas, H.E., 1964, Hydrology and hydrogeology of Navajo Lake, Kane County, Utah, U.S. Geological Survey Professional Paper 417-C, 26 p., pl. 1. Scale: 62500  
Latitude: N: 374500 S: 372230 Longitude: W 1125500 E: 1123000

